

October 3, 2016

Request for Proposal - Pavement Repairs
Village of Indian Head Park, Illinois

The Village of Indian Head Park, Illinois is seeking proposals from qualified paving contractors to complete roadway pavement repairs at various locations within the Village.

The pavement repair locations are identified in the following table and within the attached map.

Repair ID	Location	Repair Type	Area (ft²)
1	Frontage Rd. at Indianwood Ln.	Patch - CL. D, TYP. II	132
2	633 Blackhawk Trail	Patch - CL. D, TYP. II	90
3	7 Elmwood Drive - Driveway	Patch - CL. D, TYP. III	195
4	2 Tanglewood Court	Patch - CL. D, TYP. I	36
5	8 Tanglewood Court - Driveway	Patch - CL. D, TYP. I	28
6	30 Shawnee Trail - Driveway	Patch - CL. D, TYP. II	63
7	6501 Blackhawk Trail	Patch - CL. D, TYP. IV	616
8	6574 Shabbona Road	Patch - CL. D, TYP. III	162
9	6528 Pontiac Drive	Patch - CL. D, TYP. II	100
10	6550 Pontiac Drive - Driveway	Patch - CL. D, TYP. II	100
11	6547 - 6555 Cochise Drive	Grind and Resurface	540
12	6603 Cochise Drive	Grind and Resurface	480
13	6603 - 6607 Cochise Drive	Grind and Resurface	990
14	6612 - 6618 Cochise Drive	Grind and Resurface	4,048
15	6622 Cochise Drive	Grind and Resurface	652
16	6931 Joliet Road	Patch - CL. D, TYP. IV	595
17	7045 Joliet Road	Patch - CL. D, TYP. IV	242

Proposals shall be submitted according to the following groups,

- Repair group "A" (Repair ID numbers: 1-8, 10, 16-17) - 2,259 ft²
- Repair group "B" (Repair ID numbers: 9, 11-15) - 6,810 ft²

Repair type "Patch" shall consist of,

- Full depth pavement sawcut at repair limits.
- Removal of existing pavement.
- Regrade, level and compact aggregate subbase.
- Apply prime coat per IDOT specifications.
- Pavement shall be 2-in of N-50 Surface Course. Remaining pavement thickness shall be completed with N-50 Binder Course. Total pavement thickness shall match existing pavement thickness.

October 3, 2016

Request for Proposal - Pavement Repairs

Repair type "Grind and Resurface" shall consist of,

- 2-in pavement surface removal.
- Preparation of binder surface (sweep and clean).
- Apply prime coat per IDOT specifications.
- Place 2-in of N-50 Surface Course.

All work shall be completed in accordance with Illinois Department of Transportation (IDOT) Construction Standards.

All work shall be completed by November 11, 2016.

Proposals shall be submitted by 10:00 am (CT) on October 11, 2016. Proposals shall include unit prices. Proposals shall identify the cost for each repair group.


The Village of Indian Head Park reserves the right to reject submitted proposals as it deems necessary. The Village of Indian Head Park reserves the right to award all or some of the work identified within the Request for Proposal. The Village of Indian Head Park reserves the right to modify or eliminate project scope.

Proposals shall be submitted to the Village Engineer:

Mr. Anthony Spinelli, P.E. CFM
Strand Associates, Inc.
1170 South Houbolt Road
Joliet, Illinois 60431
(815) 744-4200
tony.spinelli@strand.com

Thank you,

Ed Santen, Public Works Superintendent
Village of Indian Head Park





INDIAN HEAD PARK PAVEMENT REPAIRS 2016			
Repair ID	Location	Repair Type	Area (ft ²)
1	Frontage Rd. at Indianwood Ln.	Patch - CL. D. TYP. II	132
2	633 Blackhawk Trl.	Patch - CL. D. TYP. II	90
3	7 Elmwood Dr. - Driveway	Patch - CL. D. TYP. III	195
4	2 Tanglewood Ct.	Patch - CL. D. TYP. I	36
5	8 Tanglewood Ct. - Driveway	Patch - CL. D. TYP. I	28
6	30 Shawnee Trl. - Driveway	Patch - CL. D. TYP. II	63
7	6501 Blackhawk Trl.	Patch - CL. D. TYP. IV	616
8	6574 Shabbona Rd.	Patch - CL. D. TYP. III	162
9	6528 Pontiac Dr.	Patch - CL. D. TYP. II	100
10	6550 Pontiac Dr. - Driveway	Patch - CL. D. TYP. II	100
11	6547 - 6555 Cochise Dr.	Grind and Resurface	540
12	6603 Cochise Dr.	Grind and Resurface	480
13	6603 - 6607 Cochise Dr.	Grind and Resurface	990
14	6612 - 6618 Cochise Dr.	Grind and Resurface	4,048
15	6622 Cochise Dr.	Grind and Resurface	652
16	6931 Joliet Rd.	Patch - CL. D. TYP. IV	595
17	7045 Joliet Rd.	Patch - CL. D. TYP. IV	242

LEGEND

● A

● B

 Indian Head Park Corporate Limits



0 250 500 1,000 Feet